


CNCmakers Limited

Address: No.168, Xiadu Road, Haizhu District, Guangzhou, China 510300

Email: info@CNCmakers.com Website: www.CNCmakers.com Tel: +86-138-24444158 Fax: +86-20-84185336



CNC Deep Hole Drilling Machine	DH600
Number of drill spindle	Single Spindle
Inner diameter of drilling (mm)	2.0-25
Directional maximum depth of drilling (mm)	600
Size of working table (mm)	800*600
X axis travel (mm)	600
Y axis travel (mm)	600
Z axis travel (mm)	620
Drilling feed rate (mm/min)	10-250
Max. spindle speed	7000rpm
Spindle motor	AC servo (5.5-7.5KW)
X axis motor	AC servo-2.0KW
Y axis motor	AC servo-1.5KW
Z axis motor	AC servo-1.5KW
Cutting pressure pump capacity (kg/c m ²)	80
Hydraulic pump oil output (liter/min)	6-60
Capacity of cutting oil tank (litre)	600
Max. load of working table (kg)	4000
Machine weight (kg)	4800
Machine dimension (mm)	3500*2400*2000

CNCmakers Limited

Address: No.168, Xiadu Road, Haizhu District, Guangzhou, China 510300

Email: info@CNCmakers.com Website: www.CNCmakers.com Tel: +86-138-24444158 Fax: +86-20-84185336



CNC Deep Hole Drilling Machine	DH800
Number of drill spindle	Single Spindle
Inner diameter of drilling (mm)	2.5-30
Directional maximum depth of drilling (mm)	800
Size of working table (mm)	800*600
X axis travel (mm)	800
Y axis travel (mm)	800
Z axis travel (mm)	820
Drilling feed rate (mm/min)	10-250
Max. spindle speed	7000rpm
Spindle motor	AC servo (5.5-7.5KW)
X axis motor	AC servo-2.0KW
Y axis motor	AC servo-2.0KW
Z axis motor	AC servo-1.5KW
Cutting pressure pump capacity (kg/c m ²)	80
Hydraulic pump oil output (liter/min)	6-60
Capacity of cutting oil tank (litre)	600
Max. load of working table (kg)	5000
Machine weight (kg)	6500
Machine dimension (mm)	3500*2600*2000

CNCmakers Limited

Address: No.168, Xiadu Road, Haizhu District, Guangzhou, China 510300

Email: info@CNCmakers.com Website: www.CNCmakers.com Tel: +86-138-24444158 Fax: +86-20-84185336



CNC Deep Hole Drilling Machine	DH1000
Number of drill spindle	Single Spindle
Inner diameter of drilling (mm)	2.5-30
Directional maximum depth of drilling (mm)	1000
Size of working table (mm)	1250*800
X axis travel (mm)	1000
Y axis travel (mm)	1000
Z axis travel (mm)	1020
Drilling feed rate (mm/min)	10-250
Max. spindle speed	7000rpm
Spindle motor	AC servo (5.5-7.5KW)
X axis motor	AC servo-2.0KW
Y axis motor	AC servo-2.0KW
Z axis motor	AC servo-1.5KW
Cutting pressure pump capacity (kg/c m ²)	80
Hydraulic pump oil output (liter/min)	6-60
Capacity of cutting oil tank (litre)	700
Max. load of working table (kg)	6000
Machine weight (kg)	9000
Machine dimension (mm)	4500*3000*2500

CNCmakers Limited

Address: No.168, Xiadu Road, Haizhu District, Guangzhou, China 510300

Email: info@CNCmakers.com Website: www.CNCmakers.com Tel: +86-138-24444158 Fax: +86-20-84185336



CNC Deep Hole Drilling Machine	DH1312
Number of drill spindle	Single Spindle
Inner diameter of drilling (mm)	2.5-30
Directional maximum depth of drilling (mm)	1200
Size of working table (mm)	1300*800
X axis travel (mm)	1300
Y axis travel (mm)	1000
Z axis travel (mm)	1220
Drilling feed rate (mm/min)	10-250
Max. spindle speed	8000rpm
Spindle motor	AC servo (7.5-11KW)
X axis motor	AC servo-3.0KW
Y axis motor	AC servo-3.0KW
Z axis motor	AC servo-1.5KW
Cutting pressure pump capacity (kg/c m ²)	80
Hydraulic pump oil output (liter/min)	6-60
Capacity of cutting oil tank (litre)	700
Max. load of working table (kg)	10000
Machine weight (kg)	9500
Machine dimension (mm)	4850*3500*2600

CNCmakers Limited

Address: No.168, Xiadu Road, Haizhu District, Guangzhou, China 510300

Email: info@CNCmakers.com Website: www.CNCmakers.com Tel: +86-138-24444158 Fax: +86-20-84185336




CNC Deep Hole Drilling Machine	DH1513
Number of drill spindle	Single Spindle
Inner diameter of drilling (mm)	2.5-40
Directional maximum depth of drilling (mm)	1300
Size of working table (mm)	1600*900
X axis travel (mm)	1500
Y axis travel (mm)	1100
Z axis travel (mm)	1320
Drilling feed rate (mm/min)	10-250
Max. spindle speed	7000rpm
Spindle motor	AC servo (7.5-11KW)
X axis motor	AC servo-3.0KW
Y axis motor	AC servo-3.0KW
Z axis motor	AC servo-1.5KW
Cutting pressure pump capacity (kg/c m ²)	80
Hydraulic pump oil output (liter/min)	6-60
Capacity of cutting oil tank (litre)	800
Max. load of working table (kg)	10000
Machine weight (kg)	12500
Machine dimension (mm)	4850*3500*2700

CNCmakers Limited

Address: No.168, Xiadu Road, Haizhu District, Guangzhou, China 510300

Email: info@CNCmakers.com Website: www.CNCmakers.com Tel: +86-138-24444158 Fax: +86-20-84185336



CNC Deep Hole Drilling Machine	DH2016
Number of drill spindle	Single Spindle
Inner diameter of drilling (mm)	2.5-40
Directional maximum depth of drilling (mm)	1680
Size of working table (mm)	2200*1350
X axis travel (mm)	2200
Y axis travel (mm)	1100
Z axis travel (mm)	1620
Drilling feed rate (mm/min)	10-250
Max. spindle speed	7000rpm
Spindle motor	AC servo (11-15KW)
X axis motor	AC servo-4.4KW
Y axis motor	AC servo-3.0KW
Z axis motor	AC servo-2.0KW
Cutting pressure pump capacity (kg/c m ²)	80
Hydraulic pump oil output (liter/min)	6-60
Capacity of cutting oil tank (litre)	800
Max. load of working table (kg)	12000
Machine weight (kg)	14000
Machine dimension (mm)	6000*5000*2900

CNCmakers Limited

Address: No.168, Xiadu Road, Haizhu District, Guangzhou, China 510300

Email: info@CNCmakers.com Website: www.CNCmakers.com Tel: +86-138-24444158 Fax: +86-20-84185336



CNC Deep Hole Drilling Machine	DH2018
Number of drill spindle	Single Spindle
Inner diameter of drilling (mm)	2.5-30/40(Optional)
Directional maximum depth of drilling (mm)	1800
Size of working table (mm)	2200*1350
X axis travel (mm)	2200
Y axis travel (mm)	1100
Z axis travel (mm)	1820
Drilling feed rate (mm/min)	10-250
Max. spindle speed	7000rpm
Spindle motor	AC servo (11-15KW)
X axis motor	AC servo-4.4KW
Y axis motor	AC servo-3.0KW
Z axis motor	AC servo-2.0KW
Cutting pressure pump capacity (kg/c m ²)	80
Hydraulic pump oil output (liter/min)	6-60
Capacity of cutting oil tank (litre)	800
Max. load of working table (kg)	14000
Machine weight (kg)	16800
Machine dimension (mm)	6000*6000*2900